


ASSEMBLY INSTRUCTIONS

CISCO TIMBER BED BASE QUEEN

Please read instructions carefully. Remove all wrapping material, staples and packing straps from the carton. See hardware and furniture parts list for guidance. Be sure you have all parts before you start assembling. Place all wooden furniture parts on a clean flat soft surface, such as carpet or rug to prevent from being scratched.





PARTS INCLUDED

1. Head / Foot board	: 2pcs
2. Side board	: 2pcs
3. Rail	: 1pc
4. Leg	: 4pcs
5. Metal support	: 1pc
6. Metal leg	: 2pcs

HARDWARE LIST

A. Bolt	: 8pcs
B. Allen key	: 1pc
C. Bolt	: 4pcs
D. Spring washer	: 4pcs
E. Flat washer	: 4pcs



adairs

STEP 1

Please hand tighten bolts.

④ x4

① x2

Do not fully tighten.

A

8pcs

The diagram illustrates the first step of assembly. A long horizontal beam is shown with various components being attached. At the left end, a bracket is being secured with four screws, labeled '④ x4'. A curved arrow indicates the direction of tightening. In the middle of the beam, two small rectangular blocks are attached, labeled '① x2'. At the right end, another bracket is shown with a screw being inserted. A hand is shown tightening a screw on the left bracket, with a callout showing a close-up of the screw being tightened. The callout shows a screw labeled 'A' being tightened into a hole in the beam. The text 'Do not fully tighten.' is written next to the callout. A legend in the bottom left corner shows a screw labeled 'A' and indicates that there are 8 pieces of this screw.


Diagram illustrating the assembly of the horizontal beam (5) to the vertical support structure. The beam is secured using two pins (6) and a bracket (B) attached to the support plate. A detailed view shows the bracket (B) being secured with a bolt (C), a washer (D), and a nut (E).

ASSEMBLY INSTRUCTIONS

CISCO TIMBER BED BASE QUEEN

adairs

STEP 4



STEP 5

